

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10502397

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Wednesday

Date: 3/1/2006

Time: 11:47:47

 PALM INTRANET

Inventor Information for 10/502397

| Inventor Name | City | State/Country |
|---------------------|-------|---------------|
| SHIRO, KUNIYASU | SHIGA | JAPAN |
| KOBAYASHI, TSUTOMU | SHIGA | JAPAN |
| HASHISAKA, KAZUHIKO | SHIGA | JAPAN |

[Appln. Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application#

or Patent#

PCT / /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | | |
|-------------------|----------|----------|---|-----------|--|---------------------------|
| US 20060038337 A1 | US-PGPUB | 20060223 | Sheet output apparatus | 270/58.09 | | Kobayashi; Tsutomu |
| US 20050205569 A1 | US-PGPUB | 20050922 | Plate exchangeable compact container | 220/4.01 | | Kobayashi, Tsutomu et al. |
| US 20050155981 A1 | US-PGPUB | 20050721 | Pouring container | 222/105 | | Abe, Takayuki et al. |
| US 20050148183 A1 | US-PGPUB | 20050707 | Polishing pad, platen hole cover, polishing apparatus, polishing method, and method for fabricating semiconductor device | 438/692 | 451/66 | Shiro, Kuniyasu et al. |
| US 20050104924 A1 | US-PGPUB | 20050519 | Liquid ejecting apparatus | 347/30 | | Harada, Koji et al. |
| US 20040227357 A1 | US-PGPUB | 20041118 | Door closing device | 292/216 | | Ishihara, Hiroshi et al. |
| US 20040108815 A1 | US-PGPUB | 20040610 | Microwave-excited electrodeless discharge bulb and microwave-excited discharge lamp system | 313/637 | | Ukegawa, Shin et al. |
| US 20020057890 A1 | US-PGPUB | 20020516 | Recording medium, program, entertainment system, entertainment apparatus, and image displaying method | 386/1 | | Iwai, Toshio et al. |
| US 20020035652 A1 | US-PGPUB | 20020321 | Portable electronic apparatus and communication method of portable electronic apparatus | 710/11 | | Kobayashi, Tsutomu |
| US 20020029244 A1 | US-PGPUB | 20020307 | Client-server system, computer readable medium and computer-executable program product for updating software | 709/203 | | Suzuki, Ryuichi et al. |
| US 20020027153 A1 | US-PGPUB | 20020307 | Friction stir welding apparatus | 228/112.1 | 228/2.1 | Sayama, Mitsuru et al. |
| US 6714999 B2 | USPAT | 20040330 | Portable electronic apparatus and communication method for protocol selection processing of a portable electronic apparatus | 710/11 | 709/228; 710/301 | Kobayashi; Tsutomu |
| US 6708182 B1 | USPAT | 20040316 | Portable electronic apparatus and message processing method for decoding processing for message formats | 707/104.1 | 707/10; 707/101; 713/170 | Kobayashi; Tsutomu |
| US 6705934 B1 | USPAT | 20040316 | Polishing pad | 451/526 | 451/41; 51/298 | Shiro; Kuniyasu et al. |
| US 6499649 B2 | USPAT | 20021231 | Friction stir welding apparatus | 228/112.1 | 228/2.1 | Sayama; Mitsuru et al. |
| US 6375082 B1 | USPAT | 20020423 | Portable electronic device with contacting and noncontacting interfaces | 235/492 | 902/26 | Kobayashi; Tsutomu et al. |
| US 6362107 B1 | USPAT | 20020326 | Polishing pad and polishing device | 438/692 | 216/2; 216/38; 216/88; 216/89; 216/99; 438/690; | Shiro; Kuniyasu et al. |

| | | | | | | |
|---------------|-------|----------|---|-----------|---|---------------------------|
| | | | | | 438/693; 438/959; 451/17; 451/286; 451/287; 451/288; 451/41; 451/526; 451/527 | |
| US 6342829 B1 | USPAT | 20020129 | Accelerator opening degree sensor | 338/153 | 338/139; 338/162; 338/89; 338/90; 338/92 | Takagi; Yasuo et al. |
| US 6286757 B1 | USPAT | 20010911 | Portable electronic apparatus | 235/382 | 235/487 | Kobayashi; Tsutomu |
| US 6215511 B1 | USPAT | 20010410 | Optical writing head driving device | 347/234 | 347/237 | Asako; Makoto et al. |
| US 6164257 A | USPAT | 20001226 | Oil passage construction for an engine with an oil pressure control device | 123/90.33 | 123/193.3; 123/196M; 184/6.5 | Kobayashi; Tsutomu |
| US 5921438 A | USPAT | 19990713 | Laminated bottle and pump device therefor | 222/95 | 222/105; 222/183; 222/382; 222/464.1; 222/464.2 | Kobayashi; Tsutomu et al. |
| US 5786793 A | USPAT | 19980728 | Compact antenna for circular polarization | 343/700MS | 343/846; 343/853 | Maeda; Shuji et al. |
| US 5785193 A | USPAT | 19980728 | Snap-hinged cap | 215/235 | 16/227; 215/237 | Kobayashi; Tsutomu et al. |
| US 5711454 A | USPAT | 19980127 | Laminated bottle and pump device therefor | 222/95 | 222/105; 222/183; 222/382; 222/464.1 | Kobayashi; Tsutomu et al. |
| US 5655281 A | USPAT | 19970812 | Cylinder reciprocation control apparatus and ring alignment apparatus | 29/252 | 29/271; 29/281.5 | Nagata; Katsuhiko et al. |
| US 5513761 A | USPAT | 19960507 | Laminated bottle and pump device therefor | 215/12.1 | 222/105; 222/183 | Kobayashi; Tsutomu et al. |
| US 5452690 A | USPAT | 19950926 | Structure of head cover | 123/90.38 | 123/195C | Kobayashi; Tsutomu |
| US 5394842 A | USPAT | 19950307 | Rocker arm with an oil groove | 123/90.36 | 123/90.39; 74/559 | Kobayashi; Tsutomu |
| US 5270090 A | USPAT | 19931214 | Semiconductor device coated with a fluorene-containing polyimide and a process of preparing | 428/67 | 257/666; 428/209; 428/473.5; 428/76 | Ohsaka; Yohnosuke et al. |
| US 5264598 A | USPAT | 19931123 | Fluorine-containing aromatic compound, process for preparing the same and use thereof | 549/558 | 257/E21.259; 528/87; 549/559 | Ohsaka; Yohnosuke et al. |
| US 5262515 A | USPAT | 19931116 | Curable fluorine-containing polyimide | 528/353 | 525/421; 525/426; 526/259; 526/260; 526/262; 526/263; 526/285; | Kubo; Motonobu et al. |

| | | | | | | |
|--------------|-------|----------|---|---------|---|-----------------------------|
| | | | | | 528/125; 528/128; 528/170; 528/172; 528/173; 528/174; 528/176; 528/185; 528/188; 528/220; 528/223; 528/229; 528/350; 528/352 | |
| US 5259950 A | USPAT | 19931109 | Composite membrane | 210/490 | 210/500.28 | Shiro; Kuniyasu et al. |
| US 5150593 A | USPAT | 19920929 | Shift lever device for automatic transmission | 70/248 | 192/219.4; 477/99; 70/279.1; 74/538 | Kobayashi; Tsutomu et al. |
| US 4985297 A | USPAT | 19910115 | Composite materials | 442/65 | 428/422; 428/458; 428/463; 428/473.5; 428/901; 442/164 | Tamaru; Shinji et al. |
| US 4973582 A | USPAT | 19901127 | Artificial lung surfactant and remedy for respiratory distress syndrome containing it as active principle | 514/78 | 128/203.12; 128/207.14; 514/23 | Yoshida; Tsunemasa et al. |
| US 4950314 A | USPAT | 19900821 | Gas separation membrane | 96/4 | 96/14 | Yamada; Shinichi et al. |
| US 4946935 A | USPAT | 19900807 | Fluorine-containing aromatic compound, process for preparing the same and use thereof | 528/353 | 257/E21.259; 528/125; 528/126; 528/172; 528/229 | Ohsaka; Yohnosuke et al. |
| US 4864194 A | USPAT | 19890905 | Electrodeless discharge lamp device | 315/248 | 313/488; 313/609 | Kobayashi; Koichi et al. |
| US 4818863 A | USPAT | 19890404 | Ion source for use in a mass spectrometer | 250/288 | 250/281; 250/423R | Kobayashi; Tsutomu et al. |
| US 4810878 A | USPAT | 19890307 | Ion source for mass spectrometer | 250/288 | 250/423R | Kobayashi; Tsutomu |
| US 4728681 A | USPAT | 19880301 | Coating compositions for printed circuit boards | 523/411 | 523/413; 523/457; 524/423; 524/509 | Kobayashi; Tsutomu et al. |
| US 4704600 A | USPAT | 19871103 | Oversampling converter | 341/122 | 341/143; 341/144 | Uchimura; Kuniharu et al. |
| US 4358339 A | USPAT | 19821109 | Method of fabrication of bubble domain device structures | 216/22 | 204/192.34; 216/19; 216/48; 216/66; 257/421; 257/E21.58; 257/E21.589; 257/E23.142; 365/1; 365/32; | Oeffinger; Thomas R. et al. |

| | | | | | | |
|--------------|-------|----------|---|---------|---|---------------------------|
| | | | | | 365/37; 365/39; 427/131 | |
| US 4264985 A | USPAT | 19810428 | Continuous propagation structures | 365/41 | 365/37; 365/38 | George; Peter K. et al. |
| US 4205056 A | USPAT | 19800527 | Process for ortho-para-hydrogen conversion | 423/649 | 528/388 | Inokuchi; Hiroo et al. |
| US 4198692 A | USPAT | 19800415 | Self-biased structure for magnetic bubble domain devices | 365/27 | 365/32 | Kobayashi; Tsutomu |
| US 4138736 A | USPAT | 19790206 | One level switch for magnetic bubble domain devices | 365/12 | 365/15; 365/43 | George; Peter K. et al. |
| US 4128896 A | USPAT | 19781205 | One-level switch for magnetic bubble domain devices | 365/12 | 365/43 | George; Peter K. et al. |
| US 4079461 A | USPAT | 19780314 | Gap tolerant bubble domain propagation circuits | 365/39 | 365/12; 365/15; 365/29 | George; Peter K. et al. |
| US 4067003 A | USPAT | 19780103 | Passive replicator | 365/12 | | George; Peter K. et al. |
| US 4059828 A | USPAT | 19771122 | Bubble lattice file structure | 365/32 | 365/23; 365/27 | Kobayashi; Tsutomu et al. |
| US 4031496 A | USPAT | 19770621 | Variable inductor | 336/135 | 336/134 | Fujiwara; Hideo et al. |
| US 3932688 A | USPAT | 19760113 | Composite magnetic film | 428/336 | 365/33; 427/132; 428/900 | Sugita; Yutaka et al. |
| US 3931632 A | USPAT | 19760106 | Switching device equipped with a semiconductor memory element | 327/517 | 257/252; 257/324; 257/E29.309; 327/427; 365/177; 365/184 | Uchida; Kosaku et al. |
| US 3878558 A | USPAT | 19750415 | Phase compensating system | 348/653 | | Fujisawa; Seiji et al. |
| US 3805269 A | USPAT | 19740416 | DIVERSE TYPE DIPOLE ANTENNAS ON COMMON MOUNT | 343/794 | 343/802 | Fujimoto; Kyohei et al. |